

MEDIC UNIT INVENTORY

2016/2017 Units

| Unit: | | | | | | Month: |
|----------|-----|-----|-----|-----|-------|---|
| Stock #: | | | | | | |
| | | | | | | INVENTORY OF INTERIOR COMPARTMENTS |
| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | DRIVER REAR |
| | | | | | 2 | Head immobilization device * |
| | | | | | 2 | Spider type back board straps * |
| | | | | | 1 | Adjustable extrication collars - adult * |
| | | | | | 1 | Adjustable extrication collars - pediatric * |
| | | | | | 2 | Towels * |
| | | | | | 2 | Straps - 9' |
| | | | | | 2 | Trauma dressings (min 10x12) * |
| | | | | | 4 | 8 x 10's (or similar size) * |
| | | | | | 1 box | 4 x 4's (24 min) * |
| | | | | | 6 | Kling - 3" * |
| | | | | | 6 | Kling - 6" * |
| | | | | | 8 | Triangular bandages (cravats) * |
| | | | | | 2 | Tape - 1" (hypo-allergenic type) |
| | | | | | 2 | Tape - 2" (hypo-allergenic type) * |
| | | | | | 8 | Cold packs * |
| | | | | | 2 | Heat packs (<140 degrees) |
| | | | | | 1 box | Band-Aids |
| | | | | | 1 | Commercial (CAT) tourniquet * |
| | | | | | 2 | Asherman Seal or material for occlusive dressing * |
| | | | | | 2 | Chux type pads |
| | | | | | 2 | OB Kits (commercial kits) * |
| | | | | | 2 | Silver swaddler or baby bunting type material |
| | | | | | 2 | Burn sheets (Mylar) * |
| | | | | | 4 ea | N-95 masks - uni-size * |
| | | | | | 1 set | Padded board splints (2) 15" * |
| | | | | | 1 set | Padded board splints (2) 36" * |
| | | | | | 2 | Pediatric IV arm board * |
| | | | | | 1 ea | B/P cuffs (adult, child, obese) * |
| | | | | | | UPPER AIRWAY COMPARTMENT (DRIVER FRONT) |
| | | | | | 2 | Non-rebreather O2 masks with tubing - adult * |
| | | | | | 2 | Non-rebreather O2 masks with tubing - pediatric * |
| | | | | | 2 | Nasal cannula - adult * |
| | | | | | 2 | Nasal cannula - pediatric * |
| | | | | | 2 | Oxygen connecting tubing |
| | | | | | 2 | Nebulizers |
| | | | | | 1 | Nebulizer aerosol mask - adult |
| | | | | | 1 | Nebulizer aerosol mask - pediatric |
| | | | | | 1 | Tracheotomy mask - adult |
| | | | | | 2 | Disposable suction container |
| | | | | | 1 | Suction catheter - 10fr * |
| | | | | | 1 | Suction catheter - 14fr * |
| | | | | | 2 | Suction tubing |
| | | | | | 1 | Suction wand - rigid Yankauer type * |
| | | | | | 1 ea | Transparent face mask (size 00, 1, 3, 4) * |
| | | | | | 6 | Oral airways (sizes 0-5) * |
| | | | | | 1 set | Nasal airways and lubricant (20fr [4.0mm] to 36fr [8.0mm]) (1 set is 5 sizes) * |
| | | | | | 6 | Surgical lubricants |
| | | | | | 1 ea | King LTSD airways - size 3,4,5 * |
| | | | | | 1 | Melker cricothyrotomy catheter kit or equivalent * |
| | | | | | 1 | Nebulizer set-up * |
| | | | | | 1 | Needle decompression thoracostomy kit * |
| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | AIRWAY STATION |
| | | | | | 1 | Oxygen flow meter * |
| | | | | | 1 | Disposable central suction canister (on-board) * |
| | | | | | 1 | Suction tubing & Yankauer type wand * |
| | | | | | 1 | Trauma scissors * |
| | | | | | 2 | Emesis basin or convenience bag * |
| | | | | | 1 | Penlight * |
| | | | | | 4 | Eye protection * |
| | | | | | 1 | Box of facial tissue * |
| | | | | | 1 | Bite stick (tongue depressor) |
| | | | | | 1 | Alcohol based hand cleaner * |
| | | | | | 1 | Stethoscope * |
| | | | | | 1 | Ring cutter * |
| | | | | | 1 | Controlled Substance logbook |
| | | | | | 1 | Baby wipes |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| LOWER AIRWAY COMPARTMENT | | | | | |
|--|--|--|--|--------|---|
| | | | | 1 | EKG paper |
| | | | | 2 | Disposable razors |
| | | | | 2 | Disposable clipper heads |
| | | | | 2 | In-line EtCO2 lines |
| | | | | 2 | EtCO2 nasal cannulas - adult |
| | | | | 1 | EtCO2 nasal cannulas - pediatric |
| | | | | 1 | CPAP circuit |
| | | | | 1 ea | CPAP masks - small, medium, large |
| | | | | 1 | HEPA CPAP filter |
| | | | | 1 | EPCR charger |
| | | | | 1 | Suction unit charger |
| OFFICER SIDE UPPER COMPARTMENT (ABOVE BENCH) | | | | | |
| | | | | 1 ea | BVM (adult, pediatric, infant) |
| | | | | 1 ea | Facemasks (adult, pediatric, infant, neonate) |
| | | | | 3000cc | Lactated ringers * |
| | | | | 2 | Macro IV drip sets (10-15gtts/min) * |
| | | | | 1 | Micro administration drip set (60gtt/min) * |
| | | | | 2 | Sterile H2O (minimum 500cc) |
| | | | | 1 ea | Examination gloves - small, medium, large, extra large (above door) |
| ALS DRAWER (TOP) | | | | | |
| | | | | 2 | IV safety catheters - 14 ga |
| | | | | 2 | IV safety catheters - 16 ga |
| | | | | 2 | IV safety catheters - 18 ga |
| | | | | 2 | IV safety catheters - 20 ga |
| | | | | 2 | IV safety catheters - 22 ga |
| | | | | 2 | IV safety catheters - 24 ga |
| | | | | 2 | IV saline-lock extension set |
| | | | | 2 | Veni-gard/tegaderm or comparable |
| | | | | 1 | Vacutiner holder |
| | | | | 1 set | Blood tubes (red, marble, purple, blue, green) |
| | | | | 10 | Alcohol preps |
| | | | | 5 | Betadine preps |
| | | | | 2 | Constricting bands - latex free |
| | | | | 4 | 4x4's |
| | | | | 1 roll | Hypo-allergenic tape - 1" |
| | | | | 1 | Needleless extention set |
| | | | | 1 | Twin catheter |
| | | | | 5 | Pre-filled saline flush |
| | | | | 1 | Glucometer w/ lancettes and test strips |
| ALS DRAWER (BOTTOM) | | | | | |
| | | | | 2 | Safety needles - 18 ga |
| | | | | 2 | Safety needles - 21 ga |
| | | | | 2 | Safety needles - 25 ga |
| | | | | 1 | Syringe - luer lock type - 60cc |
| | | | | 2 | Syringe - luer lock type - 20cc |
| | | | | 2 | Syringe - luer lock type - 10cc |
| | | | | 2 | Syringe - luer lock type - 5cc |
| | | | | 2 | Syringe - luer lock type - 3cc |
| | | | | 2 | Syringe - luer lock type - 1cc |
| | | | | 2 | Twin-pak safety needle |
| | | | | 1 | InterLink type vial access cannula |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | PULL OUT TRAY/ALS Drug Drawer |
|-----|-----|-----|-----|-----|---------|---|
| | | | | | 50gm | Activated charcoal * |
| | | | | | 4 | Acetaminophen - 160mg/5ml single unit dose * |
| | | | | | 10mg | Albuterol sulfate |
| | | | | | 450mg | Amiodarone - (with 100mL bag D5W) * |
| | | | | | 8mg | Atropine multi-dose vial * |
| | | | | | 250 mcg | Atrovent (Ipratropium) * |
| | | | | | 1gm | Calcium chloride |
| | | | | | 1 | Dextrose 10% - 250mL |
| | | | | | 25g | Dextrose 50% **only if substituting for D25 or D10** |
| | | | | | 50mg | Diphenhydramine |
| | | | | | 6mg | Epinephrine 1mg - pre-filled |
| | | | | | | Epinephrine 1:1000 - multi-dose vial |
| | | | | | 3mg | Epinephrine 1mg 1:1000 |
| | | | | | 2mg | Glucagon * |
| | | | | | 10mg | Haldol * |
| | | | | | 1 | Instant glucose |
| | | | | | 4gm | Magnesium sulfate |
| | | | | | 4mg | Naloxone/Narcan * |
| | | | | | 1 bot | Nitroglycerin tabs |
| | | | | | 12mg | Ondansetron (Zofran) * |
| | | | | | 100mEq | Sodium bicarbonate * |
| | | | | | 2 | Intranasal atomizers |
| | | | | | 2 | Filter needles |
| | | | | | 2 | Non-coring/Huber needles |
| | | | | | | FORWARD COMPARTMENT (WITH REMOVABLE NETTING) |
| | | | | | | Red ALS drug bag (see below for detailed inventory) |
| | | | | | | Blue ALS airway/suction bag (see below for detailed inventory) |
| | | | | | | Green BLS O2 bag (see below for detailed inventory) |
| | | | | | 1 | ALS Triage/DuoDotes "fanny" bag |
| | | | | | 1 | Broslow pediatric bag |
| | | | | | 1 | Clipboard w/ rehab and MIEMSS short forms |
| | | | | | 1 | State protocol book or electronic version (on ePCR) * |
| | | | | | | UNDER DRIVER SIDE BENCH SEAT |
| | | | | | | Bio-hazard protection kits * |
| | | | | | | Red hazardous waste bags * |
| | | | | | | Soft restraints * |
| | | | | | | Disinfectant wipes |
| | | | | | 1 ea | Box of gloves (small, medium, large, extra-large) |
| | | | | | | UNDER OFFICER SIDE BENCH SEAT |
| | | | | | 2 | Adjustable traction splint (Optimum Traction Device) * |
| | | | | | 2 | Body bags |
| | | | | | 1 | Pedi-Mate child restraint |
| | | | | | | SIDE ENTRANCE FOOTWELL |
| | | | | | 2 | Spare O2 cylinders * |
| | | | | | | PATIENT CARE AREA |
| | | | | | | Stretcher * |
| | | | | | 2 | Mounted sharps containers * |
| | | | | | | "No Smoking" sign * |
| | | | | | 2 | Trash can (covered and secured) * |
| | | | | | 1 | Traffic safety vest |
| | | | | | | CAB |
| | | | | | 2 | Portable radios |
| | | | | | 1 | GPS navigation unit |
| | | | | | 1 | EZ Pass |
| | | | | | 1 | Daily check-out book/inventory sheets |
| | | | | | 1 | Haz-Mat Guide - DOT Emergency Response Guide (latest version) * |
| | | | | | 1 | Knox-box key (if not on aide bag) |
| | | | | | 1 | Remote door control |
| | | | | | 1 ea | Map books (station specific) |
| | | | | | 1 | Vehicle registration |
| | | | | | 1 | Mobile data computer |
| | | | | | 1 | PAS ring |
| | | | | | 2 | Traffic safety vests * |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | INVENTORY OF EXTERIOR COMPARTMENTS |
|-----|-----|-----|-----|-----|-------|---|
| | | | | | | DRIVER FRONT |
| | | | | | 1 | "M" bottle O2 (at least 300 psi) * |
| | | | | | 1 | Reeves type stretcher |
| | | | | | 2 | Padded board splints - 54" * |
| | | | | | 1 | Wheel chock (mounted underneath) |
| | | | | | | DRIVER CENTER |
| | | | | | 1 | Trash can - (covered and secured) |
| | | | | | 1 | Convertible safety seat (infant/child) * |
| | | | | | | PPE storage - 3rd person |
| | | | | | | DRIVER REAR |
| | | | | | 2 | 45 minute SCBA |
| | | | | | 2 | Rechargeable handlights * |
| | | | | | | Driver PPE * |
| | | | | | | Officer PPE * |
| | | | | | | OFFICER FRONT (PASS-THROUGH TO INTERIOR COMPARTMENT) |
| | | | | | | Same as "Forward Compartment (with removable netting)" |
| | | | | | 1 | Tool box: |
| | | | | | 1 ea | Flat screwdriver - small, medium, large |
| | | | | | 1 ea | Philips screwdriver - small, medium, large |
| | | | | | 1 | Pliers - 8" channel lock |
| | | | | | 1 | Pliers - 10" vise grip |
| | | | | | 1 | Wrench - 12" open ended |
| | | | | | 1 | Side-nose cutting pliers |
| | | | | | 1 | Hammer - 3 lb |
| | | | | | 1 | Spring loaded punch |
| | | | | | 1 | Bolt cutter |
| | | | | | 1 box | Traffic safety triangles |
| | | | | | 1 | Fire extinguisher - 10lb. ABC * |
| | | | | | | OFFICER CENTER |
| | | | | | 1 | Lucas CPR Device |
| | | | | | | Extrication bag: |
| | | | | | 2 | Tape - 2" |
| | | | | | 2 | Kling - 3" |
| | | | | | 2 | Kling - 6" |
| | | | | | 4 | 4x4's |
| | | | | | 4 | Cravats * |
| | | | | | 2 | Adjustable extrication collars - adult |
| | | | | | 2 | Adjustable extrication collars - pediatric |
| | | | | | 1 | Head immobilization device |
| | | | | | 1 set | Spider straps * |
| | | | | | 2 | Towels, sheets, or padding |
| | | | | | 1 | Trauma scissors |
| | | | | | 1 | Eye protection |
| | | | | | 1 | Center punch |
| | | | | | | OFFICER REAR |
| | | | | | 2 | Triage kits: * |
| | | | | | 25 ea | Triage ribbons (red, yellow, green, black) * |
| | | | | | 25 | Triage tags * |
| | | | | | 2 | Sharpies - black, fine tip |
| | | | | | 4 | Emergency bandages |
| | | | | | 2 | Ausherman Seals |
| | | | | | 2 | CAT Tourniquets |
| | | | | | 1 | Trauma scissors |
| | | | | | 1 | Quik Litter |
| | | | | | 2 | Backboards * |
| | | | | | 2 | KED's |
| | | | | | 1 | Pediatric immobilization device |
| | | | | | 1 | Half backboard plastic or KED * |
| | | | | | 1 | Orthopedic frame stretcher (scoop stretcher) |
| | | | | | 2 | Padded board splints - 15" |
| | | | | | 2 | Padded board splints - 36" |
| | | | | | 1 | Reeves stretcher |
| | | | | | 1 | Stair chair * |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | GREEN OXYGEN BAG |
|-----|-----|-----|-----|-----|-------|--|
| | | | | | 1 | Portable oxygen bottle (at least 300 psi) * |
| | | | | | 1 | Non-rebreather mask - adult |
| | | | | | 1 | Non-rebreather mask - pediatric |
| | | | | | 1 | Nasal cannula - adult * |
| | | | | | 1 | Nasal cannula - pediatric * |
| | | | | | 1 set | Nasal airways (6 sizes ranging from 20-36) * |
| | | | | | 1 set | Oral airways (0,1,2,3,4,5) (1 set is 6 sizes) * |
| | | | | | 6 | Water soluble lubricant packs * |
| | | | | | 1 | Bite stick |
| | | | | | 1 | Pulse oximeter (adult and pediatric sensor) * |
| | | | | | 1 | Bag-valve - adult with #5 cuffed face mask * |
| | | | | | 1 | Bag-valve - pediatric with #2 cuffed face mask * |
| | | | | | 1 | Bag-valve - infant with #0 cuffed face mask * |
| | | | | | 1 | Stethoscope (must be pediatric capable) * |
| | | | | | 1 | B/P cuffs (adult, child, obese) * |
| | | | | | 2 | Kling - 3" * |
| | | | | | 2 | Kling - 6" * |
| | | | | | 2 | Multi-trauma dressing (min of 10x12) * |
| | | | | | 6 | 4x4's * |
| | | | | | 2 | Tape - 2" * |
| | | | | | 1 | Trauma scissors * |
| | | | | | 1 | Penlight * |
| | | | | | 6 | Gloves (pairs) * |
| | | | | | 2 | Eye protection * |
| | | | | | 1 | Commercial tourniquet * |
| | | | | | 1 | Sharps container * |
| | | | | | | CPAP BAG |
| | | | | | 1 | CPAP unit and all manufacturer specific supplies * |
| | | | | | 1 | Oxygen cylinder (only if a large separate bag is carried for the CPAP) |
| | | | | | 2 | Complete circuit w/ medium mask * |
| | | | | | 1 ea | CPAP masks (large and small) * |
| | | | | | 1 | In-line nebulizer setup * |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | RED ALS BAG |
|-----|-----|-----|-----|-----|--------|---|
| | | | | | | Outside: |
| | | | | | 1 | Portable environmental CO alarming device * |
| | | | | | | Left Side Pocket: |
| | | | | | 1 | Sharps container * |
| | | | | | | Front Pocket: |
| | | | | | 1 | Needle decompression thoracostomy kit * |
| | | | | | 1 | Commercially available tourniquet * |
| | | | | | 4 | Cravats * |
| | | | | | 2 | Kling - 3" * |
| | | | | | 2 | Kling - 6" * |
| | | | | | 2 | Multi-trauma dressing (minimum of 10"x12") * |
| | | | | | 6 | 4" x 4"s * |
| | | | | | 2 | Tape - 2" * |
| | | | | | 1 | Trauma scissors * |
| | | | | | 1 | Pen light (narrow beam flashlight acceptable) * |
| | | | | | 6 pair | Gloves |
| | | | | | 2 | Eye protection |
| | | | | | 2 | Atomizers (intranasal medication delivery device) |
| | | | | | 2 | Ausherman Seals |
| | | | | | | Center Compartment: |
| | | | | | 50gm | Activated charcoal * |
| | | | | | 3mg | Atropine * |
| | | | | | 1g | Calcium chloride * |
| | | | | | 1 | Dextrose 10% - 250mL |
| | | | | | 1 | Dextrose 25% |
| | | | | | 25g | Dextrose 50%* **only if substituting for D25 or D10** |
| | | | | | 400mg | Dopamine * |
| | | | | | 6mg | Epinephrine 1:10,000 * |
| | | | | | 1000cc | Lactated ringers * |
| | | | | | 8mL | Lidocaine 4% * |
| | | | | | 4mg | Naloxone * |
| | | | | | 2 | Oral glucose * |
| | | | | | 50mEq | Sodium bicarbonate * |
| | | | | | 1 | Stethoscope * |
| | | | | | 1 | Macro administration drip set (10-20gtt/mL) * |
| | | | | | 1 | Micro administration drip set (60gtt/mL) * |
| | | | | | 1 | Nebulizer set-up * |
| | | | | | 1 | Pediatric tape or pediatric wheel (must include current AHA pediatric guidelines) * |
| | | | | | 1 | ICD donut magnet * |
| | | | | | 1 | Temporal thermometer * |
| | | | | | 1 | Glucometer and test strips (incl. lancets, test strips, alcohol wipes and band-aids)* |
| | | | | | | Diltiazem Kit: |
| | | | | | 50mg | Diltiazem * |
| | | | | | 1 | 100cc diluent * |
| | | | | | 1 | 60cc syringe * |
| | | | | | 1 | Blunt-tip filter needle - 18 or 19 ga * |
| | | | | | | EZ IO Kit: |
| | | | | | 1 | EZ IO drill * |
| | | | | | 1 ea | EZ IO needles (15mm, 25mm & 45mm) * |
| | | | | | 2 | Extension sets with 3-way stopcock * |
| | | | | | 2 | Saline flush - 10cc * |
| | | | | | 2 | Stabilizers * |
| | | | | | 1 | Jamshidi needle - 18ga* |
| | | | | | 2 | Kling - 3" * |
| | | | | | 1 | Tape - 1" * |
| | | | | | 100mg | Lidocaine 2% * |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | Medications Module: |
|-----|-----|-----|-----|-----|--------|---|
| | | | | | 4 | Acetaminophen -160mg/5mL single dose cups * |
| | | | | | 30mg | Adenosine * |
| | | | | | 10mg | Albuterol * |
| | | | | | 450mg | Amiodarone - (with 100mL bag D5W) * |
| | | | | | 1 bot | Aspirin - 325mg tabs * |
| | | | | | 8mg | Atropine, multi-dose vial * |
| | | | | | 250mcg | Atrovent (Ipratropium) * |
| | | | | | 50mg | Diphenhydramine (Benadryl) * |
| | | | | | 20mg | Dexamethasone * |
| | | | | | 3mg | Epinephrine 1:1000 * |
| | | | | | 30mg | Epinephrine, multi-dose 1:1000 |
| | | | | | 1mg | Glucagon with diluent * |
| | | | | | 5mg | Haldol * |
| | | | | | 4g | Magnesium sulfate * |
| | | | | | 4mg | Naloxone/Narcan * |
| | | | | | 1 bot | Nitroglycerin tablets * |
| | | | | | 1g | Nitro paste with applicator * |
| | | | | | 12mg | Ondansetron (Zofran) * |
| | | | | | 1mg | Terbutaline * |
| | | | | | | Rear Pocket: |
| | | | | | | IV Module - Inside Rear Pouch |
| | | | | | 2 | Syringe - 10cc * |
| | | | | | 2 | Syringe - 3cc * |
| | | | | | 2 | Syringe - 1cc * |
| | | | | | 2 | Blunt-tip filter needle - 18 or 19 ga * |
| | | | | | 2 | Needle - 21ga (1 1/2 inches appropriate for IM injection) * |
| | | | | | 2 | Atomizer * |
| | | | | | 2 | IV catheters - 14ga * |
| | | | | | 2 | IV catheters - 16ga * |
| | | | | | 2 | IV catheters - 18ga * |
| | | | | | 2 | IV catheters - 20ga * |
| | | | | | 2 | IV catheters - 22ga * |
| | | | | | 2 | IV catheters - 24ga * |
| | | | | | 2 | IV site preparation kit * |
| | | | | | 2 | Pre-filled saline syringe - 10cc * |
| | | | | | 1 | Saline lock extension set * |
| | | | | | 2 | Saline lock extension set with 3-way stop cock * |
| | | | | | 2 | Sets of blood tubes (varies by hospital) * |
| | | | | | 2 | Sets of anticoagulant blood tubes (varies by hospital) * |
| | | | | | 2 | Vacutainer * |
| | | | | | 1 | Huber-type non-coring needle * |
| | | | | | 2 | Twin-cath 20 gauge catheter * |
| | | | | | 2 | Twin-cath 18 gauge catheter * |
| | | | | | | Right Side Pocket: |
| | | | | | | Controlled Substance Box (sealed) |
| | | | | | 20mg | Midazolam * |
| | | | | | 400mcg | Fentanyl * |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.

MEDIC UNIT INVENTORY

2016/2017 Units

| WK1 | WK2 | WK3 | WK4 | WK5 | QTY | BLUE AIRWAY BAG |
|-----|-----|-----|-----|-----|-------|---|
| | | | | | | Front pocket: |
| | | | | | 1 | Melker cricothyrotomy catheter set* |
| | | | | | 1 | Endotracheal tube introducer (Bougie)* |
| | | | | | 1 | #10 protected disposable scalpel* |
| | | | | | 1 | King Vision monitor with extra batteries* |
| | | | | | 1 | King Vision blade - channeled 18mm* |
| | | | | | 1 ea | King LTSD Airway - size 3, 4, 5* |
| | | | | | | Middle Pocket: |
| | | | | | 1 | Portable suction unit - battery powered capable of operating for 20 min.* |
| | | | | | 1 | Charging cord |
| | | | | | 1 | Tubing with Yankauer type wand* |
| | | | | | 1 | Suction catheter (one size between 6 & 12)* |
| | | | | | 1 | Suction catheter (one size between 12 & 16)* |
| | | | | | 1 | Sterile water (500 mL)* |
| | | | | | 3 | Gastric tubes - 8F and various sizes 10F-16F* |
| | | | | | 1 | Tapered tip lavage syringe (30cc minimum)* |
| | | | | | 1 | In-line nebulizer set-up kit* |
| | | | | | | Rear Pocket: |
| | | | | | 1 | Blue Airway Pouch |
| | | | | | 1 set | Miller blades 0, 1, 2, 3, 4* |
| | | | | | 1 set | Mac blades 1, 2, 3, 4* |
| | | | | | 1 | Laryngoscope handle - adult w/batteries* |
| | | | | | 1 | Laryngoscope handle - pediatric w/batteries* |
| | | | | | 2 | Syringe - 10cc* |
| | | | | | 1 | Meconium aspirator* |
| | | | | | 1 ea | Cuffed ET tubes (6, 7, 8)* |
| | | | | | 1 ea | Uncuffed ET tubes (2.5 - 5.5)* |
| | | | | | 1 ea | Endotracheal tube holder - adult* |
| | | | | | 1 ea | Endotracheal tube holder - pediatric* |
| | | | | | 1 | Endotracheal tube introducer (bougie)* |
| | | | | | 1 | Stylet - pediatric* |
| | | | | | 1 ea | Endotrol tracheal tube with stylet (6, 7, 8)* |
| | | | | | 3 | BAAM* |
| | | | | | 1 | Lidocaine / Xylocaine 4% topical (8ml)* |
| | | | | | 1 | Tape - 1"* |
| | | | | | 1 | Magill forceps - large* |
| | | | | | 1 | Magill forceps - small* |
| | | | | | 6pk | Surgical lubricants (1 tube or 6 packs, water soluble)* |
| | | | | | | BENCH SEAT |
| | | | | | 1 | Life Pak 15: |
| | | | | | 1 | EKG modem* |
| | | | | | 1 | 12 lead cables* |
| | | | | | 1 | Limb lead cable* |
| | | | | | 30 | Electrodes (adult and pediatric)* |
| | | | | | 2 | LP15 Adult pads - remote disposable - Physio Brand Only* |
| | | | | | 1 | LP15 Pediatric pads -pink connector on front - Physio Brand Only* |
| | | | | | 1 | EtCo2 cannula - adult* |
| | | | | | 1 | EtCo2 cannula - pediatric* |
| | | | | | 1 | EtCO2 Filter line* |
| | | | | | 1 | Razor (battery preferred with heads)* |
| | | | | | 1 | Roll spare EKG paper* |
| | | | | | 1 | Spare LP15 battery* |
| | | | | | 1 | ePCR cable |
| | | | | | 2 | Benzoin swabs |
| | | | | | 1 ea | B/P cuffs - infant, child, small adult, adult, large adult |

Items with an *asterisk are required by the MIEMSS Minimum Equipment Standard and must be on the unit at all times.